

**AMENDMENTS TO THE CLAIMS**

1. (Currently amended) A method for network document processing, the method comprising:

locating a connection to a document processing device and activating an first  
interface between a ~~predetermined~~ said document processing device and a  
workstation ~~whereby by locating the predetermined document processing device and~~  
~~accessing an~~ said workstation can access a plurality of operational setting of the  
~~predetermined~~ said document processing device;

~~providing at least one a~~ a user interface to a ~~user at the~~ said workstation,  
~~wherein the~~ whereby a interface allows the user to ~~can through said user interface~~  
and said first interface select the operational setting for the ~~predetermined~~ document  
processing device;

generating a document data file at a particular location; and

communicating a said particular location of the document data file ~~and any~~  
~~auxiliary information~~ to the predetermined document processing device, thereby  
activating a document processing job to be executed in accordance with ~~any~~  
operational settings selected by the user.

2. (Original) The method of claim 1, wherein activating an interface further  
comprises launching a document processing client in response to a document  
processing request by the user.

3. (Currently amended) The method of claim 1, wherein activating an interface  
further comprises launching and retrieving web pages to display capabilities of the  
~~predetermined~~ document processing device.

4. (Original) The method of claim 1, wherein the user interface is a web page.
5. (Original) The method of claim 1, wherein generating a document data file further comprises storing the document data file on a job file store.
6. (Original) The method of claim 1, wherein communicating a location further comprises sending a Uniform Resource Locator to the predetermined document-processing device.
7. (Original) The method of claim 1, wherein the auxiliary information includes size of the document data file, and the operational settings specified by the user.
8. (Original) The method of claim 1, wherein the document processing device is one of the group comprising: a printer, a fax machine, a multi-function peripheral, an electronic document management system, a plotter, a network fax machine, a language translation server and a knowledge management system.
9. (Currently amended) A computer-readable medium including software code that, when executed, results in: executing the method recited in claim 1.  
~~activation of an interface between a predetermined document processing device and a workstation by locating the predetermined document processing device and accessing an operational setting of the predetermined document processing device;~~

~~provision of at least one user interface to a user at the workstation, wherein the interface allows the user to select the operational setting for the predetermined document processing device;~~

~~generation of a document data file; and~~

~~communication of a location of the document data file and any auxiliary information to the predetermined document processing device, thereby activating a document processing job.~~

10. (Original) The computer-readable medium of claim 9, wherein the computer-readable medium is a downloadable file.

11. (Original) The computer-readable medium of claim 9, wherein the computer-readable medium is a generic printer driver installed on each workstation of a network.

12. (Original) A network document processing system, comprising:

a generic document processing client installed on at least one workstation connected to a network, wherein the document processing client is operable to interact with several different types of document processing devices;

a job file store, operable to receive document data files generated by the document processing client; and

at least one document-processing device, operable to receive a location of the document data files and auxiliary information associated with each document data file from the document-processing client.

13. (Original) The system of claim 12, wherein the document-processing client is one of the group comprised of: a printer client, a fax client, an electronic document management system client, a language translation client, and a knowledge system management client.

14. (Original) The system of claim 12, wherein the job file store is located on the workstation upon which is installed the document processing client.

15. (Original) The system of claim 12, wherein the job file store is located on another device connected to the network.

16. (Original) The system of claim 12, wherein the job file store is a dedicated device.

17. (Original) The system of claim 12, wherein the document processing device is one of the group comprising: a printer, a fax machine, a multi-function peripheral, an electronic document management system, a plotter, a network fax machine, a language translation server, and a knowledge management system.

18. (Previously presented) The method of claim 1, wherein generating a document data file comprises generating a document data file based on the operational setting.

19. (Previously presented) The computer-readable medium of claim 9, wherein generation of a document data file comprises generation of a document data file based on the operational setting.

20. (New) A method for network document processing, the method comprising:

locating a connection to a document processing device and activating a first interface between said document processing device and a workstation whereby and said workstation can access a plurality of operational setting of said document processing device;

providing a user interface to said workstation; whereby a user can through said user interface and said first interface select operational setting for the document processing device;

generating a document data file at a particular location; and  
communicating said particular location of the document data file to the predetermined document processing device, thereby activating a document processing job to be executed in accordance with operational settings selected by the user.